

Perspective **Published Date:-2021-04-29 00:00:00**

[Psychoanalysis of the doctrine of acute pneumonia](#)

It is difficult to predict how the founder of psychoanalysis, Sigmund Freud, would react to an attempt to link his theory and the method of treating mental disorders based on it [1], with such a purely physical disease as acute pneumonia (AP). It is unlikely that such an innovation could cause full approval and support. However, in this context, we are not talking about psychoanalysis as a therapeutic method for AP. In this case, only the diagnostic features of this technique are of interest

Research Article **Published Date:-2021-04-28 00:00:00**

[Incidence of hepatitis B and hepatitis C in Pediatric ward in 2ed March teaching hospital, Sebha: South of Libya](#)

Objective: to determine the incidence of HBV and HCV in pediatric ward.

Sitting: 2ed March teaching hospital, sebha Libya.

Materials and Methods: this was a prospective hospital base study of pediatric cases admitted to 2ed March teaching hospital during a period from March 2018 to February 2019. Pediatric cases were studied for the incidence of HBsAg and HCV Ab by ELISA, Rapid technique. The positive result was confirmed with line immuno-assay.

Results: the study showed positive HBsAg in 12 patients and HCV in 2 cases out 25 cases represented with acute hepatitis from a total of 1763 pediatric cases were submitted in this study, with incidence rate of 0.68% and 0.11% respectively.

Conclusion: the incidence of HBV and HCV are low in Sebha, therefore active program need to be applied to control the spread of infection among the population.

Research Article **Published Date:-2021-04-13 00:00:00**

[Coronavirus COVID-19 surface properties: Electrical charges status](#)

Aim of this work is to analyze the coronavirus viral surface properties related the pattern of electrical features.

This chemical physical property is relevant and crucial to set profile of diffusion, severity of disease, efficacy of therapeutic strategy and in order to search new way to fight COVID-19 and the NEW VARIANT.

The phenomena of immune evasion and the different pattern of efficacy towards variants of some vaccine or some antibodies combination produce the need to verify if considering the electrical feature of viral surface can be a right tool or not.

As result of this research it is possible to submit to the scientist that the viral surface properties and electrical feature can be an element to be considered in various preventive or treatment measure.

The specificity of action of some vaccine or antibodies seem to tell us that also the aspecific methods are useful.

A specific chemico physical factors can influence the electrical charges viral surface behavior.

Hypertonic saline solution, humidity, electrical charge barrier in mask are simply example of the effect.

That can be obtained action on viral surface chemico -physical properties.

Research Article **Published Date:-2021-03-18 00:00:00**

[Explicating the presentations of Acanthamoeba keratitis with special concern in the COVID-19 pandemic ambient](#)

This article presents an overview of information regarding Acanthamoeba keratitis per epidemiology, host-pathogen interactions, clinical manifestations, risk factors, environmental implications, diagnosis, treatment and management as well as COVID-19 characteristics which may be taken into cognizance for suspected infected patients, researchers and ophthalmologic practitioners. Acanthamoeba spp. is pathogenetically ubiquitous in nature. Acanthamoeba keratitis is considerably an ocular-threatening and debilitating keratitis that exhibits contumacious characteristics which hinder or impede treatment or management. At inception, Acanthamoeba generally depicts atypical clinical features which are frequently misdiagnosed as other microbial keratitis. Fundamentally, it constitutes a rare corneal infection of which the aetiologic agent is the protozoon Acanthamoeba spp. in contact lens wearers, presenting features of severe ophthalmic distress, blurred vision, blepharospasm, ocular excoriation, extraneous entity sensation and photophobia culminating in aberrant visual functionality. These are perspicuously due to retarded prompt and adequate treatment and management. Personal and environmental hygiene, especially on the hands, face and ocular areas as advised for the COVID-19 protocol could prevent contamination and dissemination of Acanthamoeba keratitis infection. The differentiating relatedness of Acanthamoeba keratitis, COVID-19 ophthalmologic infections and other ocular problems may not have been clearly elucidated.

Research Article **Published Date:-2021-01-20 00:00:00**

[The clinicopathological correlates of Cystoisosporiasis in immunocompetent, immunocompromised and HIV-infected/AIDS patients, but neglected in SARS-COV-2/COVID-19 patients?](#)

Cystoisosporiasis (formerly isosporiasis) is caused by *Cystoisospora belli* (erstwhile named *Isospora belli*) is encountered globally, particularly in tropical and subtropical regions. Cystoisosporiasis is a human intestinal disease whose etiology is the parasite *Cystoisospora belli* with infection frequent in immunocompromised subjects, principally HIV-infected and AIDS patients. This coccidium parasite infects the epithelial cells and lining of the villi of the small and large intestines. *C. belli* is the least frequent of the three intestinal coccidia, viz: *Cryptosporidium*, *Microsporidium* and *C. belli* which perturb humans. The clinical presentation of cystoisosporiasis gives a semblance of inflammatory bowel disease and irritable bowel syndrome, as well as other gastrointestinal symptoms, nausea, vomiting and diarrhoea found in COVID-19, AIDS and HIV-infected patients. Research has not presented comorbid features of COVID-19 and cystoisosporiasis. The oocytes of *C. belli* are visualizable microscopically on wet mounts via bright-field, differential interference contrast (DIC) and epifluorescence. Trimethoprim sulfamethoxazole constitute the normal treatment of choice. *C. belli*, HIV-infected/AIDS and COVID-19 patients have clinicopathological correlates necessary to elucidate comorbidities and mechanisms of the diseases.

Research Article

Published Date:-2021-01-20 00:00:00

[Chemical constituents and biological activities of *Artocarpus heterophyllus* lam \(Jackfruit\): A review](#)

Artocarpus (Moraceae) is a deciduous tree with appreciable importance as a source of edible fruit and is widely used in folk medicines. The extracts and metabolites of *Artocarpus heterophyllus* particularly those from leaves, bark, stem and fruit possess several useful bioactive compounds. This review indents to compile various studies on *A. heterophyllus* and critically evaluates its ethnomedical and ethnopharmacological properties. Several pharmacological studies from *A. heterophyllus* have conclusively established their mode of action in anti-inflammatory, antimicrobial, antioxidant and anticancer activities. Based on the available data, it is concluded that *Artocarpus* as a promising source of useful products and opens up new avenues for novel therapeutics.
